

# TURBO HD CAMERA










	Model	Appearance	Horizontal Resolution	Form Factor	Indoor/Outdoor	Fixed/Vari-focal Lens	OSD Menu	Features	Power Supply	Descriptions	Price
1080P Entry Level Series	DS-2CE56D0T-IRMM		HD1080p	Dome	Indoor	Fixed Lens	N/A	ICR + 20m IR Distance	12 VDC	HD1080p,2MP CMOS Sensor, 12 pcs LEDs, 20m IR, Indoor IR Dome, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, 3.6/6mm Lens	1,410,000
	DS-2CE16D0T-IR		HD1080p	Bullet	Outdoor	Fixed Lens	N/A	ICR + 20m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	1,660,000
	DS-2CE56D0T-IR		HD1080p	Eye ball	Outdoor	Fixed Lens	N/A	ICR + 20m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	1,590,000
	DS-2CE56D0T-IRM		HD1080p	Eye ball	Outdoor	Fixed Lens	N/A	ICR + 20m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	1,660,000
	DS-2CE16D0T-IT1		HD1080p	Bullet	Outdoor	Fixed Lens	N/A	ICR + 20m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	2,070,000
	DS-2CE16D0T-IT3		HD1080p	Bullet	Outdoor	Fixed Lens	N/A	ICR + 40m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	2,280,000
	DS-2CE16D0T-IT5		HD1080p	Bullet	Outdoor	Fixed Lens	N/A	ICR + 80m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, 4 pcs EXIR LEDs, 80m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	2,620,000
	DS-2CE56D0T-IT1		HD1080p	Eye ball	Outdoor	Fixed Lens	N/A	ICR + 20m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	2,070,000
	DS-2CE56D0T-IT3		HD1080p	Eye ball	Outdoor	Fixed Lens	N/A	ICR + 40m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	2,280,000
	DS-2CE16D1T-VFIR3		HD1080p	Bullet	Outdoor	Vari-focal	Available	ICR + 40m IR Distance+ IP66	12VDC	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	3,730,000
	DS-2CE56D1T-VFIR3		HD1080p	Eye ball	Outdoor	Vari-focal	Available	ICR + 40m IR Distance+ IP66	12VDC	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	3,730,000
	DS-2CE16D0T-WL5		HD1080p	Bullet	Outdoor	Fixed Lens	N/A	50m Distance+ IP66			2MP CMOS Sensor, 2pcs White Supplement Light, 50m, Outdoor Bullet, 0.01 Lux/F1.2, 12 VDC, 24h Color, DNR, IP66, 2.8/3.6/6mm Lens, 24H color

راهبهای تماس با ما:

ارتباط با ادمین کانال: @paytakht / کانال تلگرام: @paytakht\_cctv1 / سایت: Paytakhtcctv.com

تلفن: 09213753507 / 021-66348325 / 021-66348329 / 66348327-021

آدرس: تهران، خیابان جمهوری، نبش شیخ هادی، مجتمع تجاری علاء الدین 2، طبقه 3، واحد 319

1080P High Level Series	DS-2CE16D7T-IT		HD1080p	Bullet	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	2,740,000
	DS-2CE56D7T-ITM		HD1080p	Eye ball	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	2,740,000
	DS-2CE16D7T-IT1		HD1080p	Bullet	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	3,060,000
	DS-2CE16D7T-IT3		HD1080p	Bullet	Outdoor	Fixed Lens	Available	ICR + 40m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens	3,250,000
	DS-2CE16D7T-IT5		HD1080p	Bullet	Outdoor	Fixed Lens	Available	ICR + 80m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens	3,630,000
	DS-2CE56D7T-IT1		HD1080p	Eye ball	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	2,930,000
	DS-2CE56D7T-IT3		HD1080p	Eye ball	Outdoor	Fixed Lens	Available	ICR + 40m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens	3,180,000
	DS-2CE16D7T-IT3Z		HD1080p	Bullet	Outdoor	Motorized Vari-focal Lens	Available	ICR + 40m IR Distance+ IP66	12VDC	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8-12mm Motorized Vari-focal Lens	5,410,000
	DS-2CE56D7T-IT3Z		HD1080p	Eye ball	Outdoor	Motorized Vari-focal Lens	Available	ICR + 40m IR Distance+ IP66	12VDC	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8-12mm Motorized Vari-focal Lens	5,280,000

راهبهای تماس با ما:

ارتباط با ادمین کانال: @paytakht / کانال تلگرام: @paytakht\_cctv1 / سایت: Paytakhtcctv.com

تلفن: 09213753507 / 021-66348325 / 021-66348329 / 66348327-021

آدرس: تهران، خیابان جمهوری، نبش شیخ هادی، مجتمع تجاری علاء الدین 2، طبقه 3، واحد 319









HD1080p EXIR & Ultra Low Illumination Series	DS-2CE16D8T-IT		HD1080p	Bullet	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	2,760,000
	DS-2CE56D8T-ITM		HD1080p	Eye ball	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	2,760,000
	DS-2CE56D8T-IT1		HD1080p	Eye ball	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	2,900,000
	DS-2CE16D8T-IT3		HD1080p	Bullet	Outdoor	Fixed Lens	Available	ICR + 40m IR Distance+ IP66	12 VDC	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens	3,310,000
	DS-2CE16D8T-IT3Z		HD1080p	Bullet	Outdoor	Motorized Vari-focal Auto-Focus Lens	Available	ICR + 40m IR Distance+ IP66	12VDC	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8-12mm Motorized Vari-focal Auto-Focus Lens	5,520,000
HD1080P Starlight Value Series, built-in PoC	DS-2CE16D8T-ITE		HD1080p	Bullet	Outdoor	Fixed Lens	Available	20m IR Distance+ IP67	PoC/12 VDC	2M Smart FSI CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	COOMING SOON
	DS-2CE56D8T-ITME		HD1080p	Dome	Outdoor	Fixed Lens	Available	20m IR Distance+ IP67	PoC/12 VDC	2M Smart FSI CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2, 12 VDC & built-in PoC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP67, 2.8/3.6/6mm Lens	COOMING SOON
	DS-2CE16D8T-IT3E		HD1080p	Bullet	Outdoor	Fixed Lens	Available	40m IR Distance+ IP67	PoC/12 VDC	2M Smart FSI CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens	COOMING SOON
	DS-2CE56D8T-IT1E		HD1080p	Eyeball	Outdoor	Fixed Lens	Available	20m IR Distance+ IP67	PoC/12 VDC	2M Smart FSI CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	COOMING SOON

راهبهای تماس با ما:

ارتباط با ادمین کانال: @paytakht / کانال تلگرام: @paytakht\_cctv1 / سایت: Paytakhtcctv.com

تلفن: 021-66348325 / 021-66348329 / 021-66348327-021 / 09213753507

آدرس: تهران، خیابان جمهوری، نبش شیخ هادی، مجتمع تجاری علاء الدین 2، طبقه 3، واحد 319

3MP EXIR Turbo HD Series	DS-2CE16F1T-IT		3MP	Bullet	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	2,140,000
	DS-2CE56F1T-ITM		3MP	Eyeball	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	2,140,000
	DS-2CE16F1T-IT1		3MP	Bullet	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	2,420,000
	DS-2CE16F1T-IT3		3MP	Bullet	Outdoor	Fixed Lens	Available	ICR + 40m IR Distance+ IP66	12 VDC	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	2,620,000
	DS-2CE16F1T-IT5		3MP	Bullet	Outdoor	Fixed Lens	Available	ICR + 80m IR Distance+ IP66	12 VDC	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	2,900,000
	DS-2CE56F1T-IT1		3MP	Eyeball	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	2,350,000
	DS-2CE56F1T-IT3		3MP	Eyeball	Outdoor	Fixed Lens	Available	ICR + 40m IR Distance+ IP66	12 VDC	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	2,490,000
	DS-2CE16F7T-IT3Z		3MP	Bullet	Outdoor	Motorized Vari-focal Lens	Available	ICR + 40m IR Distance+ IP66	12VDC	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8-12mm Motorized Vari-focal Lens	6,890,000

راهبهای تماس با ما:

ارتباط با ادمین کانال: @paytakht / کانال تلگرام: @paytakht\_cctv1 / سایت: Paytakhtcctv.com

تلفن: 09213753507 / 021-66348325 / 021-66348329 / 66348327-021

آدرس: تهران، خیابان جمهوری، نبش شیخ هادی، مجتمع تجاری علاء الدین 2، طبقه 3، واحد 319

	DS-2CE56F7T-IT3Z		3MP	Eye ball	Outdoor	Motorized Vari-focal Lens	Available	ICR + 40m IR Distance+ IP66	12VDC	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8-12mm Motorized Vari-focal Lens	6,890,000
5MP EXIR Series	DS-2CC52H1 T-FITS		5MP	Fisheye	Indoor	Fixed Lens	Available	ICR + 20m IR Distance+ 180° panoramic view	12 VDC	5MP, 12.5fps@5MP, 180° panoramic view, EXIR, 20m IR, Indoor EXIR Fisheye, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, ePTZ, DNR, OSD Menu, Built-in Mic, 1.1mm Lens	COOMING SOON
	DS-2CE16H1 T-IT		5MP	Bullet	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	2,900,000
	DS-2CE56H1 T-ITM		5MP	Eye ball	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	2,900,000
	DS-2CE16H1 T-IT3		5MP	Bullet	Outdoor	Fixed Lens	Available	ICR + 40m IR Distance+ IP66	12 VDC	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	3,590,000
	DS-2CE56H1 T-IT1		5MP	Eye ball	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	3,310,000
5MP EXIR Series, built-in PoC	DS-2CE16H1T-ITE		5MP	Bullet	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	COOMING SOON
	DS-2CE56H1T-ITME		5MP	Eye ball	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	COOMING SOON
	DS-2CE16H1T-IT1E		5MP	Bullet	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	COOMING SOON
	DS-2CE16H1T-IT3E		5MP	Bullet	Outdoor	Fixed Lens	Available	ICR + 40m IR Distance+ IP66	12 VDC	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	COOMING SOON

راهبهای تماس با ما:

ارتباط با ادمین کانال: @paytakht / کانال تلگرام: @paytakht\_cctv1 / سایت: Paytakhtcctv.com

تلفن: 09213753507 / 021-66348325 / 021-66348329 / 66348327-021

آدرس: تهران، خیابان جمهوری، نبش شیخ هادی، مجتمع تجاری علاء الدین 2، طبقه 3، واحد 319

**مرکز بخش دوربین مدار بسته و قطعات مونتازی**

DS-2CE16H1T-IT5E		5MP	Bullet	Outdoor	Fixed Lens	Available	ICR + 80m IR Distance+ IP66	12 VDC	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	COOMING SOON
DS-2CE56H1T-IT1E		5MP	Eyeball	Outdoor	Fixed Lens	Available	ICR + 20m IR Distance+ IP66	12 VDC	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	COOMING SOON
DS-2CE56H1T-IT3E		5MP	Eyeball	Outdoor	Fixed Lens	Available	ICR + 40m IR Distance+ IP66	12 VDC	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	COOMING SOON
DS-2CE16H1T-IT3ZE		5MP	Bullet	Outdoor	Motorized Vari-focal Lens	Available	ICR + 40m IR Distance+ IP66	12 VDC	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8-12mm Motorized Vari-focal Lens	COOMING SOON
DS-2CE56H1T-IT3ZE		5MP	Eyeball	Outdoor	Motorized Vari-focal Lens	Available	ICR + 40m IR Distance+ IP66	12 VDC	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8-12mm Motorized Vari-focal Lens	COOMING SOON

**TURBO HD PTZ CAMERA**

5" IR PTZ	DS-2AE5223TI-A (24VAC)		1080P	PTZ	Outdoor	-	-	1080P, 23X, 150m IR	24 VAC	1/3" CMOS, 1920x1080:30fps, TVI & CVBS dual output, 3D DNR, ICR, Color: 0.05lux/F1.4, B/W:0.005lux/F1.4, Optical Zoom:23x, Focus:4.0-92mm, Digital Zoom:16X, Pan range:360° endless; Tilt range: -15°-90°(Auto Flip), Pan Speed: 0.1° -400°/s, Tilt Speed: 0.1° -120°/s, Up the Coax, 150m IR	32,920,000
7" IR PTZ	DS-2AE7230TI-A (24VAC)		1080P	PTZ	Outdoor	-	-	1080P, 30X, 120m IR	24 VAC	1/2.8" CMOS, 1920x1080:30fps, 3D DNR, ICR, Color: 0.2lux/F1.6, B/W:0.02lux/F1.6, Optical Zoom:30x, Focus:4-120mm, Digital Zoom:16X, Pan Speed: 0.1° -160°/s, Tilt Speed: 0.1° -120°/s, 120m IR distance, Up the Coax	42,180,000

راهبهای تماس با ما:

ارتباط با ادمین کانال: @paytakht | کانال تلگرام: @paytakht\_cctv1 | سایت: Paytakhtcctv.com

تلفن: 09213753507 / 021-66348325 / 021-66348329 / 66348327-021

آدرس: تهران، خیابان جمهوری، نبش شیخ هادی، مجتمع تجاری علاء الدین 2، طبقه 3، واحد 319

**TURBO HD DVR**

Model	Appearance	Recording resolution supported	SATA interface	HDMI output	Network interface	eSATA	Description	
DS-7204HQHI-F1/N		720P/1080 P	1	1	1 RJ45 1000M	N/A	4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, 1 SATA interface,1920×1080P: 12 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, support CVBS output, standalone 1U case	4,200,000
DS-7208HQHI-F1/N		720P/1080 P	1	1	1 RJ45 1000M	N/A	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, 1 SATA interface,1920×1080P: 10 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, support CVBS output, standalone 1U case	7,560,000
DS-7208HQHI-F2/N		720P/1080 P	2	1	1 RJ45 1000M	N/A	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, 2 SATA interfaces,1920×1080P: 10 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, support CVBS output, 380 1U case	7,560,000
DS-7216HQHI-F2/N		720P/1080 P	2	1	1 RJ45 1000M	N/A	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, 2 SATA interfaces,1920×1080P: 12 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, 4K UHD output, support CVBS output, 380 1U case	14,750,000
"DS-7204HQHI-K1		1080P	1	1	1 RJ45 100M	N/A	4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface,CH01: 3MP @ 15fps, CH02-04:1920×1080P @15 fps/ch, support CVBS output, standalone 1U case	4,710,000
(Turbo HD 4.0)"		1080P	1	1	1 RJ45 100M	N/A	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface,CH01 & 02: 3MP @ 15fps, CH03-08:1920×1080P @15 fps/ch, , support CVBS output, standalone 1U case	7,060,000
"DS-7208HQHI-K1		1080P	2	1	1 RJ45 100M	N/A	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01 & 02: 3MP @ 15fps, CH03-08:1920×1080P @15 fps/ch, support CVBS output, 380 1U case	8,340,000
(Turbo HD 4.0)"		1080P	1	1	1 RJ45 100M	N/A	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface,CH01-04: 3MP @ 15fps, CH05-16:1920×1080P @15 fps/ch, 4K UHD output, support CVBS output, standalone 1U case	15,750,000

720P / 1080P

راهبای تماس یا ما:

ارتباط با ادمین کانال: @paytakht / کانال تلگرام: @paytakht\_cctv1 / سایت: Paytakhtcctv.com

تلفن: 09213753507 / 021-66348325 / 021-66348329 / 66348327-021

آدرس: تهران، خیابان جمهوری، نبش شیخ هادی، مجتمع تجاری علاء الدین 2، طبقه 3، واحد 319

	"DS-7208HQHI-K2		1080P	2	1	1 RJ45 100M	N/A	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01-04: 3MP @ 15fps, CH05-16:1920x1080P @15 fps/ch, 4K UHD output, support CVBS output, 380 1U case	16,750,000
1080P / 3MP	DS-7204HUHI-F1/N		3MP/1080P	1	1	1 RJ45 100M	N/A	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input, 1 SATA interface, 3MP: 15fps, 1920x1080P: 25(P)/30(N) fps/ch, alarm I/O: 4/1, support CVBS output, standalone 1U case	7,250,000
	DS-7208HUHI-F1/N		3MP/1080P	1	1	1 RJ45 1000M	N/A	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 1 SATA interface, 3MP: 15fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 8/4, support CVBS output, standalone 1U case	10,900,000
	DS-7208HUHI-F2/N		3MP/1080P	2	1	1 RJ45 1000M	N/A	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 2 SATA interfaces, 3MP: 15fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 8/4, support CVBS output, 380 1U case	12,190,000
	DS-7216HUHI-F2/N		3MP/1080P	2	1	1 RJ45 1000M	N/A	16 Turbo HD/AHD/Analog interface input, 16-ch video&4-ch audio input, 2 SATA interfaces, 3MP: 15fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 16/4, support CVBS output, 380 1U case	22,320,000
1080P / 3MP / 5MP	DS-7204HUHI-K1 (Turbo HD 4.0)		5MP/3MP	1	1	1 RJ45 100M	N/A	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, alarm I/O: 4/1, support CVBS output, standalone 1U case	7,360,000
	DS-7208HUHI-K1 (Turbo HD 4.0)		5MP/3MP	1	1	1 RJ45 1000M	N/A	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 8/4, support CVBS output, standalone 1U case	COOMING SOON
	DS-7208HUHI-K2 (Turbo HD 4.0)		5MP/3MP	2	1	1 RJ45 1000M	N/A	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 8/4, support CVBS output, 380 1U case	COOMING SOON




راهبهای تماس با ما:

ارتباط با ادمین کانال: @paytakht | کانال تلگرام: @paytakht\_cctv1 | سایت: Paytakhtcctv.com

تلفن: 09213753507 / 021-66348325 / 021-66348329 / 66348327-021

آدرس: تهران، خیابان جمهوری، نبش شیخ هادی، مجتمع تجاری علاء الدین 2، طبقه 3، واحد 319



	DS-7216HUHI-K2 (Turbo HD 4.0)		5MP/3MP P	2	1	1 RJ45 1000M	N/A	16 Turbo HD/AHD/Analog interface input, 16-ch video&4-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 16/4, support CVBS output, 380 1U case	21,660,000
1080P / 3MP / 5M built-in PoC	DS-7204HUHI-K1/P (Turbo HD 4.0)		5MP/3MP P	1	1	1 RJ45 100M	N/A	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, alarm I/O: 4/1, support CVBS output, standalone 1U case, built-in PoC	COOMING SOON
	DS-7208HUHI-K2/P (Turbo HD 4.0)		5MP/3MP P	2	1	1 RJ45 1000M	N/A	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 8/4, support CVBS output, 380 1U case, built-in PoC	COOMING SOON

راهبهای تماس با ما:

ارتباط با ادمین کانال: @paytakht / کانال تلگرام: @paytakht\_cctv1 / سایت: Paytakhtcctv.com

تلفن: 09213753507 / 021-66348325 / 021-66348329 / 66348327-021

آدرس: تهران، خیابان جمهوری، نبش شیخ هادی، مجتمع تجاری علاء الدین 2، طبقه 3، واحد 319